
Aetious

Ceramics & Innovation





an array of polished vitrified tiles, epitomize robustness, opulence, and refined living. Meticulously crafted by our team of seasoned professionals, our tiles boast unrivalled quality. From digital to polished variants, each tile showcases unique elegance. The lustrous sheen of our vitrified tiles bestows a mirror-like brilliance, elevating any space to grandeur. Powered by state-of-theart technology, our tiles guarantee enduring strength. Our premium selection of polished vitrified tiles seamlessly integrates technological prowess with artistic finesse.

As one of the largest domestic markets globally and the second-largest consumer of ceramic/vitrified tiles, India is poised to become a prominent global manufacturing hub. Tiles has been instrumental in this journey since our inception in the mid-2017. Continuously striving to seize the vast growth opportunities, we have enhanced our operational efficiency and diversified our business portfolio.



Technical Features

The significant life events of this tile collection flawlessly support today's modern lifestyle, with qualities such as scratch resistance, germ resistance, stain resistance, and more.



Scratch Resistance



Fire Resistance



Frost Resistance



Stain Resistance



Dimensional Stability



Germ Resistance



Chemical Resistance



Water Resistance





Color Collection

SURFORE CHANGE OF THE SPACE

SPACE





Easy To Maintain



Resistant To Chemicals



UV Resistant



Resistant To Acids



Prevents Bacterial Growth



Non-slip



Heat Resistant



Dimensional Stability



Water Proof



Frost Resistant


INDEX

01	PASTEL BIANCO
02	PASTEL BLUE
03	PASTEL BROWN
04	PASTEL CREMA
05	PASTEL GREEN
06	PASTEL GREY
07	PASTEL GRIS
08	PASTEL MUSTARD
09	PASTEL NERO
10	PASTEL PINK
11	PASTEL PURPLE
12	PASTEL RED
13	PASTEL RUST
14	PASTEL SKY
15	PASTEL TEAL










Available in **Matt & Glossy**




FINISH PASTEL COLOR












Available in **Matt & Glossy**



FINISH PASTEL COLOR















FINISH **PASTEL COLOR**
































FINISH PASTEL COLOR















































FINISH PASTEL COLOR


















FINISH PASTEL COLOR





































































































Technical Specification

GVT-PGVT

600 X 1200 MM



CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD	VALUE				
DIMENSION & SURFACE QUALITY							
Deviation in length	ISO-10545-2	+0.6%	±0.2%				
Deviation in Thickness	ISO-10545-2	±5%	±3%				
Straight of Sides	ISO-10545-2	±0.5%	±0.2%				
Rectangularity	ISO-10545-2	±0.5%	±0.2%				
Surface Flatness	ISO-10545-2	±0.5%	±0.2%				
PHYSICAL & THERMAL PROPERTIES							
Flexural Strength	ISO-10545-4	> 35N/mm²	> 40N/mm²				
Skid Resistance (Friction Coefficient)	e (Friction Coefficient) ISO-10545-17		> 0.4				
Breaking Strenght	ISO-10545-11	>1113N	>100N				
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof				
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage				
Noisture Expansion	ISO-10545-10	NIL	NIL				
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV				
	CHEMICAL PROPERTIE	S					
Chemical Resistance	ISO-10545-13	No Damage	No Damage				
Color Resistance	ISO-10545-16	No Damage	No Damage				
Stain Resistance	ISO-10545-14	Resistant	Resistant				

Note:

- 1. Certain amount of size and shade variation is inherent in all ceramic products.
- 2. Our conformity to the above Fast is applicable only for Quality.

PACKING DETAILS

Dimension				
(MM)	PIECES	Thickness	Sq. Feet	Weight (Apx.)
600x1200MM	2	8.5mm	15.50	28 kgs.