Product Catalogue 2023


Aetious

Ceramics & Innovation





CAPTIVATING TEXTURE OF







Features & Advantages



Chemical Resistance



Heat & Fire Resistance



Abrasion Resistance



High Tensile Strength




Less Water Absorption



Environment Friendly




POLO OCEAN



[16 Faces]







POLO COPER




[16 Faces]







POLO ROSE



[16 Faces]








Size: 75x300mm

Glossy Finish

10mm Thickness




POLO SNOW



[16 Faces]







Size: 75x300mm


Glossy Finish 10mm Thickness

POLO VERDE




[16 Faces]








POLO SLATE



[16 Faces]







TECHNICAL SPECIFICATION

CHARACTERISITICS	EURO STANDARD	AETIOUS TILES	
DIMENSION & SURFACE QUALITY			
Dimension & Surface Quality	± 0.5%	± 0.2%	
Deviation in thickness	± 0.6%	<u>+</u> 0.2%	
Straightness of sides	± 0.3%	± 0.2%	
Rectangularity	<u>+</u> 0.5%	± 0.3%	
Surface Flatness	± 0.5%	± 0.3%	
Surface Quality	<u>†</u> Min 95%	+ Min 96%	
PHYSICAL PROPERTIES			
Water Absorption	> 10 %	≥ 10 %	
Bend Strength	> 150Kg./Cm	> 200-250Kg./cm	
Scratch Hardness (Moh's)	Min 3	Min 3	
Crazing	1 Cycle	No Craxing at 2 Cycle	
CHEMICAL PROPERTIES			
Staining Resistance	Min Class 2	Resistance to All Acids And Alkalies	
Household Chemical	Min Class B	Household Chemicals Except Hydro Fluric Acid	
THERMAL PROPERTIES			
Thermal Shoke	Resistant to 10 Cycle	Resistant to 10 Cycle Conforms	
Thermal Expansion	Max-9E-06	Conforms	

PACKING DETAILS

Dimension	Tiles per Box	Area Coverage	Area Coverage	Weight	Thickness(mm)
	(pcs.)	per Box (sq.ft.) Approx	per Box (sq.mt.) Approx	per Box (kg.) Approx	Approx
75x300mm	20	4.30	0.40	6.15	10.00

Note:

- 01) Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer's notice before laying the tiles
- 02) Color Shown are indicative only. Check actual tiles for exact color.
- 03) The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding.
- 04) Customers are advised to inspect a sample of the tiles before ordering.
- 05) The company reserved the right to change the specification without prior notice.

Product Applications:

















Mall

gious Theater

House

Discotheqes

Airport

Café / Bar